



Solar Courtyard Light Range

Aluminium powdercoated to a satin grey finish

Eco Solar Lights



Features

- Commercial grade solar lighting
- Requires 10-12 hours charge prior to use
- 10 to 12 hour light output
- High quality inbuilt LiFe PO₄ battery
- Various mounting heights
- Ideal for lighting paths and walkways
- Automatic light sensor turns LEDs on and off for dusk to dawn operation
- Warranty: 1 year warranty for faulty workmanship or component failure not influenced by external means

Specifications

- | | | | |
|---------------|--------------------------|----------------|-----------------------------------|
| • Colour | Powdercoat satin grey | • Solar Panel | 9V 6watts (155 x 400mm) |
| • Charge Time | 4 - 6 hours | • Light Source | 36 high intensity LEDs |
| • CCT | 4000K (cool white) | • Working Time | 8-10 hours per night |
| • Height | 800, 1500, 2100, 400mm | • Battery | LiFePO ₄ battery |
| • Brightness | Approx. 350 lumen output | • Material | Aluminium, polycarbonate diffuser |

What is a Lumen?

In simple terms, lumens are a measure of the total amount of visible light from a lamp or light source. The higher the lumen rating, the "brighter" the lamp will appear.

How does this compare with other light sources?

- Familiar examples
- A typical 4 x D cell battery maglite will emit approx. 70 lumens
 - The average hardware style path light using 2-3 LEDs emits 15-18 lumens
 - A 25W incandescent globe emits approximately 160 lumens

• Solar Panel

• Opaque light diffuser

• Approx. 350 lumen output

• Concealed on/off button

• Inbuilt LiFePO₄ battery

• Post diameter 100mm

• Bolt down installation



Suitable for inground, bolt-down or wall mount installation.

